

conferences events banquets






Arrangements:

Standing banquets - 100pax

Served dinner - 60pax



Szóstka restaurant
222,86 m²



Toilets



Open kitchen



GROUND FLOOR

Aranżacje:

ROOM 1 LARGE

80pax theater style
80pax cocktail style
50pax banquet style
50pax boardroom
50pax horseshoe
or classroom arrangement



ROOM 2 MEDIUM

50pax theater style
50pax cocktail style
30pax banquet style
30pax boardroom
30pax horseshoe
or classroom arrangement

ROOM 3 SMALL

20pax theater style
20pax cocktail style
10pax boardroom
50pax horseshoe
or classroom arrangement

All 3 rooms connected
can fit 150pax total.



Conference room 1
109,80 m²



Conference room 2
84,19 m²



Conference room 3
44 m²



Coat room



Toilets



Patio
318,18 m²



TECHNICAL DETAILS

Parameters of Projector P502HL-2:

Native resolution	1920 x 1080 (Full HD)
Picture proportions	16:09:00
Contrast	20000:1
Brightness	5000 ANSI Lumens
Lens	F= 2–2,5, f= 18,2–31,1 mm
Lens movement	H:±0,25, V:+0,62,-0
Zoom	Manual; x1,7
Focal length adjustment	Manual



Room	Large	Medium	Small
Projector P502HL-2	1	1	1
Screen Adeo Inceel	1	1	1
Speaker Apart-Audio CM6T-WH	8	8	6
Amplifier Bosch LB6-SW100-L	1	1	0
Terminal Zigen-Zig-POE-70	3	3	3
Radio transmitter	1	1	1

Resolution	Max. resolution 1920x1200 analogue entry
Screen Cross-section	Max. 762/300": Min. 76,2/3"[cm/cale]
Connection options	Input / Output
Computer (analog)	1x Input / 1x Output Mini D-Sub 15 pin
Digital	Input: 1 x HDBaseT; 2 x HDMI™ with HDCP service
Video signaling	Input: 1 x RCA
Audio	Input: 1 x 3,5 mm Stereo Mini Jack Input; 1 x RCA Stereo 2 x HDMI audio Input: 1 x 3.5 mm Stereo Mini Jack (variable)
Control	Input: 1 x D-Sub 9 pin (RS-232) (male)
USB	1 x Type B (service); 2 x Type A (USB 2.0 high speed)
3D Sync	Output: 1 x Mini DIN (connector 3-vertical)
Video	NTSC 3,58; NTSC 4,43; PAL; PAL-M; PAL-N; PAL60; SECAM
LAN	1 x RJ45; Optional connector WLAN

Adeo inceel Screen	Large Room	Medium Room	Small Room
Projection size	390/219	290/163	290/163

Audio parameters:	Speaker Apart-Audio CM6T-WH	Amplifier Bosch LB6-SW100-L
Power supply	100V	230V
Exit power	1.5/3/6W	12,5/25/50/100W
Frequency response	60Hz - 20kHz	42-300Hz
Sensitivity	88dB	
Impedance	16Ω	8Ω doublephonic/4Ω monophonic

Connection parameters	Zigen-ZIG-AX	Radio Transmitter
Amplifier	12V DC	12V DC
Exit	HDMI	Wifi-Soft

WARSZAWSKA Bar



Arrangements:

Standing banquet: 60pax

Served dinner: 30pax



Bar Room
202,66 m²

Cigar Room
42,38 m²

Bar

WARSZAWSKA


Restaurant



Arrangements:

Standing banquet: 250pax


Served dinner: 200pax



Warszawska Restaurant
426,33 m²

Toilets

VINOTEKA



INDIVIDUAL RESERVATIONS:

warszawska@hotel.com.pl

szostka@hotel.com.pl

+48 22 470 03 42

+48 22 470 03 00

GROUPS, CONFERENCES, BANQUETS:

sales@hotel.com.pl

+48 22 470 03 82